Scope Management on Software Projects

An updated approach to maturity levels and services in the Gaia Scope Framework.

Darlan Dalsasso Departamento de Computação, Universidade Estadual de Londrina - UEL Londrina, Brazil darlan_dalsasso@hotmail.com

Abstract— Software development is a complex activity and one of the main activities to be developed is working with the requirements of each project. Thinking about this existing need, this work addresses the development of the Gaia Scope Framework, as a tool and also as a methodology to be followed for engineering and product scope management in software projects. The framework is composed of services divided into different levels of maturity. Also part of the main work is the diagnostic evaluation questionnaire and the implementation process of the framework.

Keywords - quality; software; framework; project

I. INTRODUCTION

Software development is an activity that is constantly evolving. The search for new techniques that will help and improve the way to build software with higher quality and that mainly meets the needs of its users motivated the development of the Gaia Scope Framework.

We know that many studies are carried out and applied in the corporate and academic environment with the objective of developing better techniques and tools that assist in the development of software; the Gaia Scope Framework is also a study focused on the scope of products in software projects, because it has its focus on what 'needs to be developed in software design.

The difficulties faced with the activities involving requirements occur because there are several techniques and methodologies applied daily, where in most cases these techniques express only the necessary end result but do not explain what to do to achieve the expected results. In the Gaia Scope Framework one of our objectives and that the situation described above is dealt with.

We are proposing in this study the development of a framework for managing the product scope in software projects, known as the Gaia Scope Framework.

This structure has undergone an update on the levels of maturity and the services that comprise it, due to the need to Rodolfo Miranda de Barros Departamento de Computação, Universidade Estadual de Londrina - UEL Londrina, Brazil rodolfomdebarros@gmail.com

make the framework more cohesive and functional in relation to its objective, which is to facilitate the work with elicitation, specification, approval, management and control of product scope in software projects known as requirements.

This framework can be treated as a tool to be used or a methodology to be followed, because it expresses through services the activities that need to be developed and how they can be carried out to reach the final objective that is the correct understanding and management about the scope of products in software projects.

The services are divided into levels of maturity so that the implementation of the framework is gradual and incremental.

The framework is different from other works because it does not only suggest what needs to be developed and delivered. The services of Gaia Scope Framework are responsible for presenting the information that needs to be elaborated presenting some models that can be used by analysts. Services are key items within the framework.

The Gaia Scope Framework is formed by different services, which are the activities to be performed, which have a structure composed of different information, such as service description, document templates, questions related to the diagnostic questionnaire, among other information, as will be verified throughout the article.

The level of maturity refers to knowing how much the organization is adequate, apt and matured to carry out or develop the implementation of the necessary services for the management of the scope of software products. The maturity level facilitates too the institutionalization and application of services in a gradual way.

In addition, the Gaia Scope framework includes the diagnostic assessment questionnaire and the framework implementation process. One of the main ideas is to make services simple and objective, easy to understand.

The main idea for the development of this framework was the fact that we know that one of the main causes of the failure in software projects is the existence of difficult-to-interpret requirements, poorly defined, or sometimes due to poor management of requirements, among other factors. These difficulties can compromise all the work that will be developed in relation to activities related to software requirements.

It is also known in the software industry that activities related to engineering and requirements management need special attention, since it is a complex and fundamental activity that justifies the development of this framework, because if the work related to the requirements is performed by correct, complete and unambiguous, the chance to develop and deliver software that meets the needs of end users is much greater.

This article is divided as follows: In Section 1 us the Introduction, where we present in an initial and general way what will be treated in this study. In Section 2, the concepts of requirements engineering will be discussed. Section 3 refers to project scope management. Section 4 discusses IT service concepts. Section 5 addresses the idea of maturity levels. Section 6 presents a comparative study on engineering and requirements management. In Section 7, we will address the Gaia Scope Framework, where in the Subsection 7.1 we will present the maturity levels of the Framework Gaia Scope; In Subsection 7.2, we will introduce the integration of maturity levels with their respective services; Subsection 7.3 will address the advantages of the Gaia Scope Framework. In Section 8, we will present the advantages of Gaia Scope Framework, and Section 9, the conclusions of the study.

II. REQUIREMENTS ENGINEERING

As we approach the software development context, we need to keep in mind what we are going to build for, and who we are going to build. We can simply understand that a requirement can be a need that has to be satisfied or even a property of a product that already exists [11].

This reflects in the discovery of the minimum details of the product that will be implemented and in the understanding of all the stakeholders involved. In a generalized way, we call the requirements or requirements engineering.

The task of obtaining the knowledge and understanding of the requirements of a problem to be solved presents itself as one of the most complex challenges faced by analysts and software engineers [7]. This is due to the fact that often the customers themselves have a difficulty understanding what they want the software to do.

The requirements are the descriptions or specifications of the application to be developed, its operating restrictions, and the services it will offer [8]. These specifications serve as the basis for all the work that is going to be done ahead and are critical to the correct understanding of what needs to be developed.

The vast amount of tasks and techniques that make analysts aware of what needs to be developed is called software engineering [7].

Requirements engineering can also be understood as a process that is used to identify, analyze, develop the documentation and verify the resources that the application must offer and the constraints that need to be considered in the development of the solution [8].

Analyzing the concepts presented above, it is possible to have the notion and understanding of the complexity that such activity has in the software development process.

Therefore, the greater the competence in identifying the requirements, documenting them in a simple, clear and objective manner, and maintaining a good management of these activities and work product produced, the chance of greater success in this area becomes more and more.

With this, the Gaia Scope Framework aims to assist analysts and software engineers in performing their daily work tasks in a standardized, simple and controllable way.

III. PROJECT MANAGEMENT AND PROJECT SCOPE MANAGEMENT

We can identify the existence of projects in practically everything around us. To find a new job, to open a company, to carry out a university, to write a scientific article, among others, involves understanding the needs that we intend to develop in order to reach the main objective, and also, its management in an efficient and efficient way so that Get to know where we are in the project.

In organizations, the idea of design becomes more and more practiced, given the large number of projects that happen in the world at the same time. Many of these projects are about the development of software to meet the most varied demands of the market.

A survey conducted by the Project Management Institute shows that organizations seeking to achieve a high degree of performance in their projects implement twice the number of strategic initiatives that are successfully carried out (76%) from the comparison with low performance organizations (38%) [10].

This make possible to understand that to be able to evolve in our projects, we need to seek continuous improvement, adopting strategies that make it possible to get the most out of the performance and quality of the product generated.

In addition to this, high-performance organizations lost twelve times less money when compared to non-high performing organizations, leaving \$ 20 million lost to high-performing companies and \$ 230 million lost to organizations that were not high-performing. These amounts are considered for each U \$\$ 1 billion in project expenditures [10]. It is possible to understand with this, the difference that exists between organizations that are and that are not of high performance.

The difference in the amount of losses is so bulky that it makes us wonder how many projects could be developed using the resources that are lost.

The development of software projects fits well in this need, which leads us to seek to develop them, thinking more and more about the format of projects, and consequently, giving emphasis in the area of project scope management, which is the basis of all work.

A project is an enterprise that does not repeat itself, and which has a clear and logical sequence of events or activities to be developed, having a beginning, a means, and an end, that seeks to achieve a clear and specific objective, which is accomplished and led by people, considering parameters of time, cost, resources involved and quality [10].

By understanding that each project is unique and theoretically has an established beginning and end, we need to seek to develop the right requirements, primarily by lowering the time for survey and validation of requirements.

According to the Project Management Institute (PMI), a project is a temporary effort, with the aim of creating a product or service considered unique. It is finalized when the project objectives are met, or when the objectives have not been successfully achieved, or when those objectives can not be achieved, or when the need for the project is over. It can still be finalized if it is the client's will or sponsor [9].

It can be concluded in a simplified way that a project will have a defined beginning, middle and end, developing something unique, considering the objectives and constraints of the project and understanding all the stakeholders involved.

Project quality can also be understood as the source of customer satisfaction and project success. When clients are satisfied, we have a measure of project success [6].

Project scope management encompasses the activities necessary to ensure that the project includes only what is necessary for its development, nothing more, and nothing less [9].

This means that when we develop projects, we need to think only about what needs to be done and delivered, not worrying about activities and artifacts that are not part of the scope to be delivered.

The Gaia Scope Framework will serve as a tool to be used or a methodology to be followed that will address the key activities that need to be developed to ensure that the development and management of the product scope is performed in a correct, complete, clear, modifiable, prioritized, verifiable and traceable.

This will contribute to generating the effective, efficient, reliable and quality product that meets the needs of the product scope management area, but mainly, meeting the needs of the users.

IV. IT SERVICES

The Gaia Scope Framework is developed in the service format as discussed below.

These services are the activities to be developed or can be understood as the objectives to be achieved.

The purpose of a service is to offer something of value to customers, enabling them to achieve their expected results in a measurable way [3]. Therefore, each of these services aims at generating some value for the project in a unitary way, and the service of all the services can generate high value and success in the activities of engineering and requirements management in a general way.

The services strategy refers to IT skills in the generation of service assets [4].

Services are classified as intangible assets, not presenting physical characteristics, but can generate economic benefits for organizations [4].

Value consists of two main components that are utility and assurance, where utility is about what the customer receives, and in turn, the guarantee is how this value is provided to customers [2].

Another characteristic of the services is due to the fact that clients do not have to bear certain costs and risks [2].

Finally, service management is a set of specialized organizational skills aimed at providing value to all of its customers in the form of services.

V. LEVELS OF MATURITY

The Gaia Scope Framework is developed using maturity levels, as discussed below.

Maturity levels are a combination of processes or activities and process empowerment [5].

It is then possible to understand that maturity levels are composed of a set of processes that need to be satisfactorily achieved or contemplated, achieving the minimum expected favorable results to ensure that such process is considered satisfactory or unsatisfactory.

Process capability refers to the set of skills to meet business objectives, both current and future, meeting what is required in each process [1].

Each process has its value within the maturity level. It is worth emphasizing that each process has a significant value, which, together with the other processes that make up the level, cause the level of maturity to be reached.

The level of maturity of an organization makes it possible to gain a better understanding of its future performance. This is due to the fact that by the logic, after the organization reaches a certain level, it means that it has the minimum of excellence in the processes that develops from that level, being able to work to implement the processes of the upper levels, that is, trying always to seek improvement in their processes.

It is worth mentioning that once an organization reaches a level of maturity, it has to work to maintain it, because if it does not, it may not go through an eventual revaluation of the level in the future.

VI. Comparative study on engineering and requirements management

In the opportunity to develop this research, and as a way to better understand the main initiatives regarding requirements engineering, a comparative study was developed between the main references of this area.

In order to develop this study, the works of Ian Sommerville, Roger S. Pressmam, MPS-BR, CMMI, in their most current versions were analyzed.

Through the analysis of the literature, it was possible to better understand the activities proposed by each author regarding requirements engineering, and an important asset was developed for the development of the Gaia Scope Framework, which is about updating services as also update the maturity levels that will make up the framework.

It is also worth mentioning that this study made it possible to change the version of the services being proposed, as we will see later. A comparative study is presented. See TABLE I.

TABLE I.	$M_{\text{APPING} \text{ and } \text{Relationship of engineering activities and} \\$
	REQUIREMENTS MANAGEMENT

Mapping and relations	hip of engineering activities and requirements management
	Viability Study
	Elicitation and Requirements Analysis
	Requirements Specification
Ian Sommerville (2011)	Requirements Validation
	Requirements Management
	Software Reuse: Does not specifically address the process
	Conception
Roger S. Pressman (2011)	Survey
× *	Elaboration

	Negotiation
	_
	Specification
	Validation
	Management
	Reuse of Software: It is approached within
	the construction of the analysis model
	Historical database: Mentioned within the requirement survey activity and within the
	construction of the analysis model
	· · · · · · · · · · · · · · · · · · ·
	The understanding of the requirements is obtained from the suppliers of requirements
	The requirements are evaluated on the basis
	of objective criteria and a commitment of the
	technical team to these requirements is obtained
	Bi-directional traceability between
	requirements and work products is
	established and maintained
	Revisions to project work plans and products
	are conducted to identify and correct inconsistencies with requirements
	Requirements changes are managed
	throughout the project
MPS-BR (2016)	Organizational Culture: It is mentioned in the
	process attribute that
	refers to whether project execution is
	managed. Historical database: Does not deal
	specifically with these terms but can be seen
	the use of historical data in the activity
	"Changes in requirements are managed
	throughout the project" Lessons learned: It does not deal specifically
	with these terms but you can see the use of
	historical data in the activitye "Changes in
	requirements are managed throughout the
	project," which can generate lessons learned.
	 Develop customer requirements (Formed by the activities of eliciting needs and
	transforming the needs of those involved in
	customer requirements.)
	2 - Develop product requirements (Formed by
	the activities of establishing product and
	product component requirements, allocating product component requirements and
	identifying interface requirements.)
CMMI (2010)	3 - Analyze and validate requirements
Civilivii (2010)	(Formed by the activities of establishing
	operational concepts and scenarios,
	establishing a definition of required functionality and quality attributes, analyzing
	the requirements and analyzing the
	requirements to achieve balance and validate
	requirements.)
	REQUIREMENT MANAGEMENT
	1

[
	(Formed by the activities of understanding requirements, obtaining requirements commitment, managing requirements changes, maintaining bidirectional traceability of requirements, ensuring alignment between project work and requirements) Reuse of Software: Addresses the idea of reuse of software in the area of requirements development
	In requirements management, the needs passed by the organization are considered. This gives an idea of the consideration of organizational culture. Historical database: Addresses requirements database and history of requirements changes. This refers in some way to the historical database. Lessons learned: Does not directly mention lessons learned, but does mention the use of history of requirements changes.
	Establish strategy
	Requirements / scope survey and analysis
	Requirements specification / scope and negotiation
	Validation of requirements / scope
Gaia Sco Framework	De Requirements / Scope Management (- Involves control of requirements / scope; - Involves control and change management; - Involves requirements / scope traceability)
	Maintenance and requirements / scope history (Involves reuse of requirements - Involves historical database - Involves lessons learned - Involves organizational culture and organizational process assets)
	Continuous improvement (Involves all areas and services of scope management)

From this comparative study, we were able to extract the best practices applied in each of the references, where it was possible to design the services that will compose the Gaia Scope Framework.

Soon we were able to create a framework that serves to manage product scope in software projects of any size.

VII. GAIA SCOPE FRAMEWORK

The Gaia Scope Framework is a tool to be used or a methodology to be followed to assist in the engineering and management of the product scope in software projects.

From this proposal, leaders and requirements engineers will have a greater facility in surveying, specifying, validating, and managing the product scope of their software projects, thus ensuring greater management, facilitating the development of the work that must Be developed and achieving greater assurance and integrity of information.

The composition of the framework will be through services that will be divided into different levels of maturity, as will be analyzed next.

The idea of working with services is due to the fact that we focus on delivering value to users, who will be clients of the framework.

Each service consists of the following elements; service description, document templates, questions related to the diagnostic questionnaire, vocabulary, tools and techniques, performance indicators and workflow.

The service description will provide an objective and direct contextualization about the service. Document templates will be basic document templates that can be used. The issues related to the issues pertaining to each service. The vocabulary refers to the terms used in the service. The tools and techniques represent what can be used to develop the service. The performance indicators are the parameters that are used to measure the progress and service. And finally, the workflow is the workflow or process of each service.

Another point is that the implementation through maturity levels facilitates the deployment process, since it will happen gradually as the organization is able to achieve the objectives of each service.

The framework will also be composed of an implementation process that is adherent to the software development processes in general, and a diagnostic evaluation questionnaire that will be used to identify, in a first moment, in which level of maturity the organization is, and also In future revaluations, to know if the level will be maintained, lowered or raised.

The image below, presents the process of gaia scope implementation, which is initiated by the application of the diagnostic evaluation questionnaire, to understand in which level of maturity the organization is.

Then, from the understanding of the maturity level, services are reviewed and optimized so that one can start working to reach the highest levels of the framework, or to maintain the level in which one is.

From the moment the organization understands that it is able to seek the next level of the framework or the time comes for a reassessment of the organization at the level it is in, the diagnostic assessment questionnaire is applied again to identify the organization's situation in the Activities that are part of the services of the desired level.

In the sequence, the performance indicators in the historical database are registered and the maturity level is redefined, and in the sequence it is checked to see if it meets all the requirements of the level. In the event of a reassessment, if the requirements are met, the level is maintained, or is passed to a higher level in case of evaluation for level change.

The specified process is presented below, according to [4]. See Figure 1.




Figure 1. Implantation process of Gaia Scope Framework

A. Gaia Scope Framework Maturity Levels

The Gaia Scope Framework has been updated to become more adherent to its functional objective, which is product scope management in software projects.

The levels that had been initially defined were: undefined, known, managed, quantitatively managed, and optimized [3].

The services that were initially planned were: establishing strategy, planning scope management, collecting requirements, defining scope, creating EAP, validating scope, controlling scope (integration, risks, costs, time, stakeholders) and improvement to be continued.

However, as mentioned, there was a need to update both the maturity levels and the services to compose the framework, and the comparative study between the different references was important for the more fruitful clarification of the ideas and the main objective of the Framework. Currently the maturity levels are as follows:

- Undefined;
- Known;
- Defined;
- Managed;
- Optimized;

The maturity levels presented are those that are institutionalized in the Gaia Scope Framework currently.

B. Integration of maturity levels with their respective upgraded services.

The maturity levels presented are those that are institutionalized in the Gaia Scope Framework currently.

Undefined

- The organization / company does not have defined and institutionalized processes and artifacts.
- Known
 - Establish strategy
 - Requirements and scope survey and analysis
- Defined
 - Requirements specification / scope and negotiation
 Validation of requirements / scope
- 0 • Managad
 - Managed
 - o Requirements / Scope Management
 - Involves control of requirements / scope
 - Involves change control and management
 - Involves requirements / scope traceability
 - Maintenance and requirements / scope history
 - Involves requirements reuse
 - Involves historical database
 - It involves lessons learned
 - Involves organizational culture and organizational process assets
 - Optimized
 - Continuous improvement (Involves all areas and services of scope management)

This is the current model of the structure of maturity levels and services of the Gaia Scope Framework. To analyze the hierarchy of maturity levels, see Figure 2.




Figure 2. Hierarchy of maturity levels

VIII. Advantages of Gaia Scope Framework

The Gaia Scope Framework has different advantages, where we can mention the following: A) Possibility of being used by any institution or organization that develops software; B) It is a tool or methodology that does not have acquisition costs; C) Ease of application because it is divided into maturity levels and not bureaucratic; D) Designed to be constantly updated; E) It adds ideas of important references of the area like Roger Pressmam, Ian Sommerville, Mps-Br, CMMI, among other bibliographies; F) Simple and objective; G) The requirements for the development of software that supports the Gaia Scope framework are already being analyzed.

IX. CONCLUSIONS

The development of the Gaia Scope Framework is an initiative that comes to assist any agent that is directly or indirectly involved in the area of engineering and requirements management.

The development of this tool, which can also be understood as a methodology, meets the need that many organizations have, which is to identify and manage their requirements in the best possible way.

Allied to the simplicity that the framework values, it is still possible to emphasize that it is free, which facilitates even more the use by the organizations.

It is important to clarify that the research work, as well as the necessary adjustments continue to guarantee continuous improvement in the framework, but the basis of the whole study is already structured by defining and updating the levels of maturity and services that the framework will Contemplated, which were presented in this article

It is expected that, with the development of this framework, it will be possible to better identify and manage the requirements in software projects, aiming at a work that is carried out with ever more quality, guaranteeing the identification, analysis, development, documentation and Requirements, which will be the basis for the development of all project needs.

The work that will be carried out in the future deals with the detailed specification of each service and its elements, the development of the diagnostic evaluation questionnaire, the implementation of the framework in the Gaia company, the analysis of the results after the application in at least two projects, and if necessary, making the necessary adjustments, until the institutionalization of the final version of the framework. And then, the finalization of the specification of the requirements of a software to be developed that will support what the framework values.

ACKNOWLEDGMENT

I would like to thank Dr. Rodolfo Miranda de Barros for his help, advice and guidance for the development of this work..

References

- [1] Associação para Promoção da Excelência do Software Brasileiro. Guia Geral de Software. Brasília: SOFTEX. Janeiro, 2016.
- [2] Bon, Jan Van., 2012. ITIL [recurso eletrônico] : guia de refer~encia, edição 2011, Elsevier. Rio de Janeiro.
- [3] Dalsasso, Darlan., Barros, Rodolfo Miranda de, GAIA scope: Framework for the project scope management in software development process. In, 11th Iberian Conference on Information Systems and Technologies (CISTI), 2016, Gran Canaria, v.1. p. 1-6, 2016.
- [4] Freitas, Marcos André dos Santos., 2013. Fundamentos do gerenciamento de serviços de TI, Brasport. Rio de Janeiro, 2nd edition
- [5] Koscianski, André., Soares, Michel dos Santos., 2007. Qualidade de software: aprenda as metodologias e técnicas mais modernas para o desenvolvimento software, Novatec Editora. São Paulo, 2nd edition
- [6] K. L. Madhuri and V. Suma, Influence of domain and technology upon scope creep in software projetcs. In. *International Conference* on Advances in Electronics, Computers and Communications, ICAECC 2014, pp. 1-6, 2014.
- [7] Pressman, Roger S., 2011. Engenharia de Software Uma Abordagem Profissional, AMGH. Porto Alegre, 7nd edition
- [8] Sommerville, Ian., 2011. Engenharia de Software, Pearson Prentice Hall. São Paulo, 9nd edition
- [9] Um guia do conhecimento em gerenciamento de projetos (guia PMBOK) / (texto e tradução) Project Management Institute. - 5 ed. – São Paulo: Saraiva, 2014.
- [10] Viana, Ricardo Vargas., 2014. Manual prático do plano de projeto: utilizando o PMBOK Guide, Brasport. Rio de Janeiro, 5nd edition
- [11] Vazquez, Carlos Eduardo. Simões, Guilherme Siqueira, 2016. Engenharia de requisitos: software orientado ao negócio, Brasport. Rio de Janeiro.
- [12] Software Engineering Institute. (2010). CMMI for Development, Version 1.3. Carnegie Mellon University, (November), 482. http://doi.org/CMU/SEI-2010-TR-033 ESC-TR-2010-033.